



बागमती प्रदेश सरकार
कृषि, पशुपन्छी, वन तथा वातावरण मन्त्रालय
कृषि विकास निर्देशनालय



कृषि विकास कार्यालय सिन्धुली

सूचना नं ०७/२०८३/०८४

सिन्धुलीमादी, नेपाल

सूचना प्रकाशित मिति: २०८३/०५/११

कृषि यन्त्र/औजार/उपकरण आपूर्तिको लागि शिलबन्दी दरभाउ पत्र आह्वान सम्बन्धी सूचना

कृषि विकास कार्यालय सिन्धुलीको आ.व. २०८३/८४ को वार्षिक स्वीकृत कार्यक्रम अनुसार विभिन्न कृषि प्रवर्द्धन/कृषि विकास कार्यक्रम सञ्चालनार्थमा कृषकहरूको माग तथा स्वीकृत बजेटको परिधि भित्र रही कृषि यन्त्र/औजार/उपकरणहरू अनुदानमा उपलब्ध गराउने प्रयोजनका लागि कृषि यन्त्र/औजार/उपकरणहरू न्यूनतम दरभाउमा आपूर्ति गर्न इच्छुक न्यूनतम योग्यता पुगेका आधिकारिक उत्पादक/विक्रेता/फर्मले यो सूचना प्रकाशित भएको मितिले १५ औं दिन (२०८३/०५/२५) सम्ममा कार्यालय समय भित्र उल्लेखित कागजातहरू सहित शिलबन्दी दरभाउ प्रस्ताव पेश गर्नुहुन यो सूचना प्रकाशन गरिएको छ। कृषि/औजार/उपकरणहरूको प्राविधिक स्पेसिफिकेशन र शिलबन्दी दरभाउ प्रस्ताव फाराम यस कार्यालय तथा कार्यालयको वेबसाइट <https://sindhuli.akc.gov.np> बाट डाउनलोड गरी प्राप्त गर्न सकिने छ।

शिलबन्दी दरभाउ प्रस्ताव दर्ता गर्ने निकाय: कृषि विकास कार्यालय, सिन्धुली

आवश्यक कागजात तथा शर्तहरू:

१. आधिकारिक सहिछाप सहितको निवेदन।
२. आधिकारिक सहिछाप सहितको निर्धारित ढाँचा बमोजिमको पूर्ण रुपमा भरिएको शिलबन्दी दरभाउ प्रस्ताव फाराम।
३. फर्म/संस्था/कम्पनी दर्ता तथा नविकरणको प्रमाण पत्र, मूल्य अभिवृद्धि कर (भ्याट)/प्यान दर्ता प्रमाण पत्रको प्रतिलिपि।
४. कम्पनीको हकमा कम्पनी रजिष्टार कार्यालयबाट जारी कम्पनी अध्यावधिक भएको पत्र।
५. गत आ.व को कर चुक्ता तथा लेखा परीक्षणको प्रमाणित प्रतिलिपि, नेपाली नागरिकताको प्रतिलिपि।
६. सामग्रीहरूको उत्पादक कम्पनीहरूको आधिकारिक विक्रेता वा Authorized agent/डिलरसिप रहेको प्रमाण पत्र।
७. आपूर्तिकर्ताले आपूर्ति गर्ने खोजेका कृषि यन्त्र/औजार/उपकरणहरूको मोडल र ब्राण्डहरूको आधिकारिक टेस्ट रिपोर्टको प्रमाणित प्रतिलिपि।
८. आपूर्ति गर्न सकिने कृषि यन्त्र/औजार/उपकरणहरूको स्पेसिफिकेशन, ब्राण्ड, मोडल, उत्पादक कम्पनी र देश खुलेको क्याटलर, लिफलेट वा ब्रोसर अनिवार्य रुपमा पेश गर्नुपर्ने छ।
९. आपूर्तिकर्ताले दररेट उल्लेख गर्दा कृषि विकास कार्यालय, सिन्धुली सम्म ढुवानी सहितको रकम उल्लेख गर्नुपर्नेछ।
१०. आपूर्तिकर्ताले दररेट पेश गर्दा मु.अ.कर लाग्ने मेसिनरी औजारको दररेट मु.अ.कर बाहेक उल्लेख गर्नु पर्नेछ।

थप जानकारीका लागि यस कार्यालयको सूचना पाटी, फेसबुक पेज, फोन नं. ०४७-५२०४२ तथा यस कार्यालयको वेबसाइट sindhuli.akc.gov.np बाट प्राप्त गर्न सकिनेछ।

Handwritten signature: Anup Adhikari
२०८३/५/११

फोन नं. ०४७ ईमेल ५२०१६६/५२१०४२-akcsindhuli@gmail.com/ adosindhuli@gmail.com वेबसाइट <http://sindhuli.akc.gov.np>

अनूप अधिकारी
प्रमुख
(अधिकृतस्तर नवौं)



बागमती प्रदेश सरकार
कृषि, पशुपन्ध्री, वन तथा वातावरण मन्त्रालय
कृषि विकास निर्देशनालय
कृषि विकास कार्यालय, सिन्धुली



FY: 2083/84

Technical Specification For Farm Machinery and Equipments

S.N.	Name of implement with description	Required specification	Offered Specification by supplier with remark
1	Combined mill		
	Make and model	Any	
	General	Application in both milling of ceareals such as rice, wheat, millet and paddy, Gross wt not less than 85 kg.	
	Power source	not less than 1.8 kw	
	voltage and frequency of motor	220v/ 50 hz single phase, copper coil	
	Seive size	at least 100*749mm	
	Seive Diameter	aperture : 1.2	
	Capacity	Rice mill: at least 80 kg/hr Grain grinder: at least 130kg/hr	
	Roller Speed	Rice mill-at least 1500rev/min Grain Grinder-5500rev/min	
	Roller Diameter: rice mill	40mm	
	Types	Disc/Hammer types	
	Accessories	Electric wire along with Suitable MCB with switch	
	Warranty	Min 1 Year	
	Total Price (Nrs.)		
	Total price in word		

Prepared By:

इ. राजन खड्का
कृषि इन्जिनियर
दस्ता नं: ३७६ "एग्रीकल्चर" "क"

Checked By:

अनुप अधिकारी
प्रमुख
(अधिकृतस्तर नवी)
Approved By:



बागमती प्रदेश सरकार
कृषि, पशुपन्ध्री, वन तथा वातावरण मन्त्रालय
कृषि विकास निर्देशनालय
कृषि विकास कार्यालय, सिन्धुली



FY: 2083/84


S.N.	Name of implement with description	Required specification	Offered Specification by supplier with remark
2	Diesel Mini tiller		
	Brand/model	Model:...., Engine Model.....	
	General	General purpose minitiller for dry and wet tillage, with standard design having gross vehicle weight not less than 120kg	
	Engine	Single cylinder, Four stroke, incline/vertical Forced air cooled system, Oil batch type filler, Diesel Engine, Maximum power not less than 4KW at rated speed	
	Starting type	Recoil/ Electrical starter	
	Transmission system	Double clutch type, Gear drive(1- Reverse, 2- Forward(both high and low) number of gears.	
	Tilling Depth	100 mm or above	
	Tilling width	1050 mm or above	
	Fuel tank capacity	minimum 3.5 litres	
	air cleaner	oil bath type	
	Blades	minimum 32 pieces	
	Tyre	Standard size(4-8)	
	Accessories	Toolkit, light, mobile & Gear oil	
	Warranty	Min 1 Year	
	Total Price (Nrs.)		
	Total price in word		

Prepared By:

Checked By:

ई. सुजान स्वस्ती
कृषि इन्जिनियर
दस्ता नं: ३७६ "एग्रीकल्चर" "क"

Approved By:
प्रमुख
(अधिकृतस्तर नवौ)



FY: 2083/84

Prepared By:

Checked By:

इ. गुजन खड्का
कृषि इन्जिनियर
पं नं: ३७६ "एनकलयर" "क"

अनुप अधिकारी
Approved By:
प्रमुख
(अधिकृतस्तर नवौ)



बागमती प्रदेश सरकार
कृषि, पशुपन्छी, वन तथा वातावरण मन्त्रालय
कृषि विकास निर्देशनालय
कृषि विकास कार्यालय, सिन्धुली



FY: 2083/84

S.N.	Name of implement with description	Required specification	Offered Specification by supplier with remark
4	Petrol Mini tiller		
	Brand/model	Model:....., Engine Model.....	
	General	General purpose minitiller for dry and wet tillage,with standard desgin having gross vehicle weight not less than 80kg	
	Engine	Single cylinder,Four stroke ,incline/vertical Forced air cooled system,Oil batch type filler, Petrol engine , Maximum power not less than 4KW at rated speed	
	Starting type	Recoil	
	Transmission system	Double Cluth system ,Gear drive(1- Reverse, 2- Forward(both high and low) number of gears.	
	Fuel tank capacity	not less than 3 L	
	Blades	minimum 24	
	Tilling Depth	100 mm or above	
	Tilling width	750 mm or above	
	Accessories	Toolkit, light, mobile & Gear oil	
	Warranty	Min 1 Year	
	Total Price (Nrs.)		
	Total price in word		

Prepared By:

ई. गुनन खड्का
कृषि इन्जिनियर
दर्ता नं.: ३७६ "एगिकल्चर" "क"

Checked By:

अनुप अधिकारी
अनुमोदित By:
प्रमुख
(अधिकृतस्तर तथी)



बागमती प्रदेश सरकार
कृषि, पशुपन्ध्री, वन तथा वातावरण मन्त्रालय
कृषि विकास निर्देशनालय
कृषि विकास कार्यालय, सिन्धुली



FY: 2083/84

S.N.	Name of implement with description	Required specification	Offered Specification by supplier with remark
6	Power Tiller		
	Rated Power	at least 13.24 Kw	
	Width	atleast 900mm	
	Net Weight	atleast 375kg	
	Engine type	4-stroke, Single-cylinder, Force water cooled, Diesel Engine	
	Number of Speed	6 Fwd, 2 Rev	
	Starting system	Manual recoil/electric system both	
	Fuel Tank Capacity	at least 6 L	
	Transmission type	Gear transmission	
	Cooling system	Radiator	
	Min. ground clearance	at least 185mm	
	Turning speed of crankshaft	2000/2200 RPM	
	Number of blade	at least 26 blades	
	Tyre	6.0-12.0	
	Acessories	Engine oil, Brake oil fully filled and One Set of Tool Box	
	Warranty	min 1 year	
	Total Price (Nrs.)		
	Total price in word		

Prepared By:

Checked By:

ई. गुजन स्वर्का
कृषि इन्जिनियर
दस्ता नं. ३७६ "एगकल्यर" "क"

अनुमोदित
अधिकारी
प्रमुख
(अधिकृतस्तर नवी)



बागमती प्रदेश सरकार
कृषि, पशुपन्ध्री, वन तथा वातावरण मन्त्रालय
कृषि विकास निर्देशनालय
कृषि विकास कार्यालय, सिन्धुली



FY: 2083/84

S.N.	Name of implement with description	Required specification	Offered Specification by supplier with remark
7	Single tube Corn Sheller		
	Make and model	any	
	Power of Electric motor	at least 0.4kw	
	Electrical requirement	220 v, single phase	
	Weight	20-30 kg	
	Capacity	> 140 Kg/hr	
	Roller /Tubes	single	
	Threshing rate	at least 95%	
	Suitable for	Maize	
	Warranty	Min 1 Year	
	Total Price (Nrs.)		
	Total price in word		

[Signature]

ई. गुजन खड्का
कृषि इन्जिनियर
दता नं: ३७६ "एग्रेकल्चर" "क"

Checked By:

[Signature]
Approved By:
प्रमुख
(अधिकृतस्तर नवी)



बागमती प्रदेश सरकार
कृषि, पशुपन्छी, वन तथा वातावरण मन्त्रालय
कृषि विकास निर्देशनालय
कृषि विकास कार्यालय, सिन्धुली



FY: 2083/84

S.N.	Name of implement with description	Required specification	Offered Specification by supplier with remark
8	Multi tube Corn Sheller		
	Make and model	any	
	Power of Electric motor	at least 0.7kw	
	Electrical requirement	220 v, single phase	
	Weight	>30 kg	
	Capacity	> 200 Kg/hr	
	Roller /Tubes	at least Double	
	Threshing rate	at least 95%	
	Suitable for	Maize	
	Warranty	Min 1 Year	
	Total Price (Nrs.)		
	Total price in word		

Prepared By:  **ई. गुजन खड्का**
कृषि इन्जिनियर
दता नं: ३७६ "एग्रेकल्चर" "क"

Checked By:


Approved By:
प्रमुख
(अधिकृतस्तर नवी)



बागमती प्रदेश सरकार
कृषि, पशुपन्ध्री, वन तथा वातावरण मन्त्रालय
कृषि विकास निर्देशनालय
कृषि विकास कार्यालय, सिन्धुली



FY: 2083/84

S.N.	Name of implement with description	Required specification	Offered Specification by supplier with remark
9	Maize Push Row Seeder		
	Make and model	any	
	General	Manual operated Seeder used to planting maize having sharp teeth suitable for all kinds of land, seed box and fertilizer box	
	No. of Row	Single	
	Seed Metering Mechanism	plate type (adjustable, 1-3 grains in one time)	
	Seed Spacing	Adjustable, atleast 15 cm	
	Depth	Atleast 2.5 cm	
	Seed Box Capacity	4-5 L	
	Fertilizer Box Capacity	12 L	
	Fied Capacity	Min. 0.1 Ha/Hr	
	Warranty	Min 1 Year	
	Total Price (Nrs.)		
	Total price in word		

Prepared By: 
ई. गुनज खड्का
कृषि इन्जिनियर
दता नं: ३७६ "एग्रिकल्चर" "क"

Checked By:


Anup Adhikari
अनुप अधिकारी
प्रमुख
(अधिकृतस्तर नवी)



बागमती प्रदेश सरकार
कृषि, पशुपन्छी, वन तथा वातावरण मन्त्रालय
कृषि विकास निर्देशनालय
कृषि विकास कार्यालय, सिन्धुली



FY: 2083/84

S.N.	Name of implement with description	Required specification	Offered Specification by supplier with remark
10	Power weeder / Rotary Cultivator		
	Brand & Model	Any	
	General	General purpose of rotary cultivator in maize cultivation for weeding, mixing, and aerating soil, with standard desgin having gross weight not less than 16 kg.	
	Engine	Two stroke air cooled system, 52 cc gasoline engine, Maximum power not less than 1.6 KW at rated speed .	
	Tillage Depth in mm	Min. 100 mm	
	Tillage width in mm	Min. 250 mm	
	Start	Recoil Start	
	Colour	Standard	
	Fuel tank size	Min 1 Ltr	
	Warranty	Atleast 1 year	
	Total Price (Nrs.)		
	Total price in word		

5/12

Prepared By: ई. सुजन खड्का
कृषि इन्जिनियर
दस्ता नं.: ३७६ "एगिकल्चर" "क"

Checked By:

अभिषेक अधिकारी
प्रमुख
(अधिकृतस्तर नवौ)



बागमती प्रदेश सरकार
कृषि, पशुपन्छी, वन तथा वातावरण मन्त्रालय
कृषि विकास निर्देशनालय
कृषि विकास कार्यालय, सिन्धुली



FY: 2083/84

S.N.	Name of implement with description	Required specification	Offered Specification by supplier with remark
11	Potato Cultivator		
	Brand & Model	Any	
	General	General purpose of potato cultivator in small scale field cultivation, suitable for dry soil conditions, with standard design having gross weight not less than 50kg.	
	Engine	Single cylinder, Four stroke air cooled system, gasoline engine, Maximum power not less than 4KW at rated speed.	
	Drive and Movement	Gear belt drive, Hand pick movement	
	Functionality	Ditching, Rotary tillage, Weeding for multipurpose operation for soil preparation	
	Start	Recoil Start	
	Colour	Standard	
	Additional Attachments	Ditcher and mini cultivator set	
	Warranty	Atleast 1 year	
	Total Price (Nrs.)		
	Total price in word		

Prepared By:

ई. सुजन खड्का
कृषि इन्जिनियर
ना.नं. ३७६ एग्रेकल्यर "क"

Checked By:

अनुप अधिकारी
Approved By:
(अधिकृतस्तर नवी)



बागमती प्रदेश सरकार
कृषि, पशुपन्छी, वन तथा वातावरण मन्त्रालय
कृषि विकास निर्देशनालय
कृषि विकास कार्यालय, सिन्धुली



FY: 2083/84

S.N.	Name of implement with description	Required specification	Offered Specification by supplier with remark
12	Brush Cutter		
	Make ,model, Brand	any	
	Engine	4-stroke petrol engine, air-cooled, with a displacement not less than 34 cc and a power output not less than 0.9 kW.	
	Weight of machine	Atleast 7.5 kg	
	Fuel tank capacity	not less than 650ml	
	blade	Baffle type 3 blades with paddy guard.	
	Warranty	Atleast 1 year	
	Total Price (Nrs.)		
	Total price in word		

6/22

Prepared By: **इ. गुजन खड्का**
कृषि इन्जिनियर
दता नं.: ३०६ "एगकल्यर" "क"

Checked By:

अनुप अधिकारी
प्रमुख
(अधिकृतसह कार्यालय)



बागमती प्रदेश सरकार
कृषि, पशुपन्ध्री, वन तथा वातावरण मन्त्रालय
कृषि विकास निर्देशनालय
कृषि बिकास कार्यालय, सिन्धुली



FY: 2083/84

S.N.	Name of implement with description	Required specification	Offered Specification by supplier with remark
13	Self propelled Multicrop Thresher		
	Make and model	any	
	General	Used for threshing crops, ensuring the output is clean and free from impurities	
	Power	Not less than 4 KW	
	Gross Weight	Atleast 70 kg	
	Roller	Atleast 200 mm size and 700 mm length	
	Fuel type	gasoline (petrol)	
	Capacity	More than 300 Kg/hr	
	Threshing rate	0.95	
	Suitable for	rice, wheat, Millet	
	Warranty	1 year of Warranty from Manufactures	
	Total Price (Nrs.)		
	Total price in word		

6/12

Prepared By:

ई. गुजन खड्का
कृषि इन्जिनियर
दस्ता नं: ३०६ "एग्रीकल्चर" "क"

Checked By:

अनुप अधिकारी
अनुप अधिकारी
(अधिकृतस्तर नवी)



बागमती प्रदेश सरकार
कृषि, पशुपन्छी, वन तथा वातावरण मन्त्रालय
कृषि विकास निर्देशनालय
कृषि विकास कार्यालय, सिन्धुली



FY: 2083/84

S.N.	Name of implement with description	Required specification	Offered Specification by supplier with remark
14	Self-Propelled Reaper		
	Make and model	any	
	general	Self-Propelled Reaper is used for harvesting of paddy in wet and dry field. Having a self engine for its operation.	
	Engine power	not less than 4 KW	
	Engine Type	4-Stroke, Single Cylinder, Air Cooled, Diesel Engine, gear/belt T.S.	
	Engine Speed	minimum 2600 RPM	
	Starting System	Electric/Manual Starting (Recoil Type)	
	Cutting Height	minimum 40 mm	
	Cutting Width	minimum 1000mm	
	Weight	minimum 200kg	
	Total Price (Nrs.)		
	Total price in word		

9/7

Prepared By:

ई. गुजन स्वस्ता
कृषि इन्जिनियर
संता नं: ३०६ सिन्धुली क

Checked By:

अनुप अधिकारी

अनुप अधिकारी
अनुप अधिकारी
(अधिकृतस्तर नवी)



बागमती प्रदेश सरकार
कृषि, पशुपन्छी, वन तथा वातावरण मन्त्रालय
कृषि विकास निर्देशनालय
कृषि विकास कार्यालय, सिन्धुली



FY: 2083/84

S.N.	Name of implement with description	Required specification	Offered Specification by supplier with remark
15	Reaper Head for Power tiller		
	Make and model	any	
	General	Power tiller mounted Reaper head for matched power 12-22 HP power tiller	
	Drive Type	Gear Drive	
	Cutting width	atleast 1200 mm	
	Cutting Height	atleast 50 mm	
	No. of cutting Rows	4-5 lines	
	Placing Type	Sidewise & Banded	
	Accessories	Supply with all set of fixing frame, cable, nut bolts and driving V Belts	
	Suitable for	rice, wheat, Millet	
	Warranty	1 year of Warranty from Manufactures	
	Total Price (Nrs.)		
	Total price in word		

9/12

Prepared By: **ई. सुजन खड्का**
कृषि इन्जिनियर
दस्ता नं: ३७६ "एग्रीकल्चर" "क"

Checked By:

[Signature]

अनुप अधिकारी
Approved By:
(अधिकृतस्वरूप नवी)



बागमती प्रदेश सरकार
कृषि, पशुपन्ध्री, वन तथा वातावरण मन्त्रालय
कृषि विकास निर्देशनालय
कृषि विकास कार्यालय, सिन्धुली



FY: 2083/84

S.N.	Name of implement with description	Required specification	Offered Specification by supplier with remark
16	Reaper Head for Mini Tiller		
	Brand/model	Brand.....Model:....	
	General	Designed to attach with min. 5.5 kw power mini tillers or weeders.	
	Cutting width	min 1000 mm	
	Cutting Height	atleast 30 mm	
	No. of cutting Rows	3 to 4	
	Placing Type	Sideswise and banded place	
	Suitable for	Paddy and wheat	
	Warranty	Min 1 Year	
	Total Price (Nrs.)		
	Total price in word		

5/12

Prepared By: **डॉ. गुजन खड्का**
कृषि इन्जिनियर
नं. नं. ३०६ "एनकल्वर" क

Checked By:

Amir Khan
अधिकृत
अधिकृतस्तर नवी



बागमती प्रदेश सरकार
कृषि, पशुपन्छी, वन तथा वातावरण मन्त्रालय
कृषि विकास निर्देशनालय
कृषि विकास कार्यालय, सिन्धुली



FY: 2083/84

S.N.	Name of implement with description	Required specification	Offered Specification by supplier with remark
17	Rotavator		
	Make and model	any	
	General	Rotavator is designed for efficient soil pulverization, suitable for light and medium soils in dry and wet conditions, and is mounted on a tractor	
	Power required	30-35 HP tractor	
	Working Width	≥ 1750mm	
	Gear Box	Single/Multispeed	
	No.of Flange	min 7	
	No.of Blades	At least 42 No. high-durability	
	Type of Blade	C/L/J	
	Hitching	3 Point Linkage	
	Transmission Type	Gear type or Chain type	
	Blade Thickness	Minimum 5 mm	
	Diameter of Rotor Shaft	At least 75 mm	
	Distance between Flanges	(150-250)mm	
	Tilling Depth	10-20cm	
	Warranty	1 year of Warranty from Manufactures	
	Total Price (Nrs.)		
	Total price in word		

Prepared By:

इ. रुजन खड्का
कृषि इन्जिनियर
दाता नं.: ३७६ "एग्रीकल्चर" "क"

Checked By:

अनुमोदित
प्रमुख
(अधिकृतस्तर नवौ)



बागमती प्रदेश सरकार
कृषि, पशुपन्ध्री, वन तथा वातावरण मन्त्रालय
कृषि विकास निर्देशनालय
कृषि विकास कार्यालय, सिन्धुली



FY: 2083/84

S.N.	Name of implement with description	Required specification	Offered Specification by supplier with remark
18	Spring Type Cultivator		
	Make and model	any	
	General	spring type cultivator type should be capable of ploughing agriculture land	
	Type	Ride type tractor mounted or spring.	
	Power Source	Tractor (35 Hp) or Above	
	No. of Tyne	At least 9	
	Working Width (cm)	210-300	
	Capacity (ha/hr.)	0.35- 0.5	
	Type of shovel	Reversible shoe type	
	Warranty	Min 1 Year	
	Total Price (Nrs.)		
	Total price in word		

Prepared By: 
इ. गुर्नम सिङ्ग
कृषि इन्जिनियर
दिता नं. ३७६ "एग्रिकल्चर" "क"

Checked By:


अनुमोदित अधिकारी
Approved By:
(अधिकृतस्तर नवी)



बागमती प्रदेश सरकार
कृषि, पशुपन्छी, वन तथा वातावरण मन्त्रालय
कृषि विकास निर्देशनालय
कृषि बिकास कार्यालय, सिन्धुली



FY: 2083/84

S.N.	Name of implement with description	Required specification	Offered Specification by supplier with remark
19	Manual Rice seeder Machine		
	Make and model	any	
	General	Manual Rice Seeder is for sowing germinated paddy seed directly in wetland field	
	Operation type	Hand pull and hand push with waking operation speed	
	No. of Rows	6 to 8 rows	
	Row to Row Spacing	200-250 mm	
	Diameter of Drum	200 mm	
	Diameter of seed metering hole	8±1 mm	
	Driving Wheel	Driven by two lugged wheel (600mm dia.)	
	Material Used in drum	PPCP(Polypropylene Copolymer)	
	Total Price (Nrs.)		
	Total price in word		

9/12

Prepared By: **ई. गुजन स्वइका**
कृषि इन्जिनियर
दिनांक: ३०/१२/२०८३

Checked By:

अनुप अधिकारी
Approved By:
(अधिकृतस्तर नवी)